

**GENERAL NOTES:**

1. BENCHMARK - TOP STEM OF EXISTING FIRE HYDRANT LOCATED IN FRONT SUBLOT 30, ELEVATION = 632.31.
2. DRIVEWAY APRON TO BE 6" THICK CONCRETE.
3. ALL DOWNSPOUTS TO BE OUTLETTED TO SPLASH BLOCKS.
4. CONTRACTOR RESPONSIBLE FOR CONTACTING THE OHIO UTILITY PROTECTION SERVICE (1.800.362.2764) AND ALL UTILITY COMPANIES A MINIMUM OF 48 HOURS PRIOR TO CONSTRUCTION.
5. THE LOCATION BOTH HORIZONTAL AND VERTICAL OF EXISTING UNDERGROUND UTILITIES SHOWN HEREON, HAVE BEEN OBTAINED BY A DILIGENT AND COMPREHENSIVE SEARCH OF AVAILABLE RECORDS. VERIFICATION BY FIELD OBSERVATION HAS BEEN CONDUCTED WHERE PRACTICAL, HOWEVER, BARRINGTON CONSULTING GROUP, INC. DOES NOT GUARANTEE THE COMPLETENESS, NOR ACCURACY THEREOF.
6. CONTRACTOR SHALL VERIFY ELEVATIONS OF LATERAL INVERTS IN THE FIELD PRIOR TO FOUNDATION EXCAVATION.
7. EROSION AND SEDIMENT-CONTROL PRACTICES TO BE INSTALLED AS DESCRIBED IN THE RAIN WATER LAND DEVELOPMENT MANUAL AS DIRECTED BY THE LAKE COUNTY SOIL AND WATER CONSERVATION DISTRICT.
8. TEMPORARY SEEDING SHALL BE APPLIED ON ALL DISTURBED SOIL THAT WILL NOT BE REWORKED FOR WITHIN 30 DAYS. THESE IDLE AREAS TO BE SEEDED WITHIN 7 DAYS.

**CERTIFICATION :**

7 "I THE UNDERSIGNED HEREBY CERTIFIES THAT THIS TOPOGRAPHY  
INDICATED BY 1 FOOT CONTOURS AND ELEVATION SHOWN HEREON  
REPRESENTS AN ACTUAL SURVEY MADE BY ME ON THE 4th DAY OF  
SEPTEMBER, 2002 AND THE ELEVATIONS WERE TAKEN AT AN APPROPRIATE  
INTERVAL AND AS OF THAT DAY THEY EXISTED AS INDICATED HEREON.

**"I HEREBY CERTIFY THAT THIS PLAN WAS PREPARED BY ME AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF"**

DAVID W. NOVAK, P.S. No. 7507

**CERT-1000** Grading Plan Approved  
as shown and/or noted  
**JAMES R. GILLS, P.E.**  
Lake County Engineer

By [Signature] Date 9/17/02


**APPROVED  
MADISON TOWNSHIP ZONING**

DATE 9/12/02

BY NA 21096



## GRAPHIC SCALE

[illegible]

**Barrington**  
CONSULTING GROUP, INC.  
33342 WESTERN PARKWAY, SUITE 10  
WILLOUGHBY, OHIO 44094  
216/944-1100



**SITE PLAN**  
S/L 31 HAINES RD.  
MADISON, OH. 44057

DRAWN  
WSO  
CHECKED  
DWN  
DATE  
SEPT. 04, 2001  
SCALE  
1" = 20'  
JOB NO  
00085-31  
SHEET  
11